

Sammanställning av markmiljötekniska analyser, Norrby 1:19, Grebo

Jordprover

PROV		18A01	18A04	18A08	18A11	18A13	18A17	18A02	18A06	18A10	18A16	18A18	Naturvårdsverkets	
ÄMNE		DJUP [m]											generella riktvärden för	
TS_105°C		%											KM	MKM
As	mg/kg TS	4,45	4,34	3,84	3,34	5,16	4,01	4,89	2,8	4,59	4,82	4,28	10	25
Ba	mg/kg TS	163	103	159	185	196	194	141	113	167	136	195	200	300
Cd	mg/kg TS	0,125	0,136	0,177	0,298	0,44	0,155	0,177	0,125	0,163	0,184	<0.1	0,8	12
Co	mg/kg TS	13,9	14,1	15,3	8,6	21,1	12,7	17,9	9,02	11,2	13,8	10,3	15	35
Cr	mg/kg TS	22,4	17	24,6	24,7	17,5	25,8	22,6	21,7	24,7	18,7	26,4	80	150
Cu	mg/kg TS	15,3	14,1	18,2	27,5	21,7	23,3	20	16	17,3	17,7	25,5	80	200
Hg	mg/kg TS	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0,25	2,5
Ni	mg/kg TS	17,9	11,5	19,7	22	18,5	28	18,2	12,3	19	17,1	31,7	40	120
Pb	mg/kg TS	19,9	20	21	17,6	25,7	20,7	22,1	16,7	20,5	21,5	19	50	400
V	mg/kg TS	40	39,1	41,4	35,8	38,6	35,6	42,2	32,5	41,8	36,8	37,2	100	200
Zn	mg/kg TS	65,5	67,7	80,4	115	101	79,6	80	71,5	79,5	69,6	68,5	250	500
metyl Hg	ng/g TS	<0.05	<0.05	0,298	0,331	0,272	0,116						25	250
TS_105°C		%												
acetoklor	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0,025	0,08
alaklor	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
ametryn	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
atrazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
cyanazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
desetylatrazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
desetylterbutylazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
desisopropylatrazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
desmetryn	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
dimetoat	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
diuron	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
fonofos	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
forat	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
fosalon	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
fosfamidon (e+z)	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
hexazinon	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
2-hydroxiatrazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
hydroxiterbutylazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
isoproturon	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
karbofuran	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
klorfenvinfos	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
klorpyrifos	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
klortoluron	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
malation	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
metamitron	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
metazaklor	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
metidation	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
metolaklor (isomerer)	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
metribuzin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
pendimetalin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
prometon	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
prometryn	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
propazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
sebutylazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
simazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
simetryn	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
terbutryn	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
terbutylazin	mg/kg TS	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		